



www.tampografia.mx

Informes:

55 55 19 81 73

55 55 30 06 34

☎ 55 42 39 18 03

TAMPOGRAFIA MX

Distribuidor autorizado

Cuadro de aplicaciones de tintas, solventes y catalizador

I N K C U P S

Información de Producto	BA	BT	CG	J3	MB	PN	SB	SI
Secado	Rápido	Medio	Rápido	Rápido	Medio	Rápido	Rápido	Lento
Grado de brillo	Alto	Alto	Satinado	Alto	Alto	Alto	Alto	Satinado
Sombras estándar	23	23	23	17	23	22	23	15
Sombras de alta densidad	11	-	11	1	11	11	2	-
Sombras metálicas	5	5	5	5	5	5	5	2
Proceso de 4 colores	4	4	4	4	4	4	4	-
Características especiales	Resistente a la abrasión	Muy opaco	Resistente al lavaplatos	Grado Médico	Grado Médico	Substratos de polypro	Tinta textil	Productos de silicona

Auxiliares

Solvente	M	F	M	M	M	M	SB-M	SI-S
Solvente lento	MS	MS	MS	MS	MS	MS	G	
Solvente más lento	EB o S3	EB o S3	EB o S3	EB o S3	EB o S3	EB o S3	EB o S3	
Endurecedor	1000-H	1000-H	1000-HGL	1000-H	1000-H	1000-H	1000-H	SI-H
Limpiador	EBD	EBD	EBD	EBD	EBD	EBD	EBD	
Modificador de adhesión							PP-1	

Material

	BA	BT	CG	J3	MB	PN	SB	SI
ABS/SAN		✓		✓	✓			
Acrílico (PMMA)	✓	✓		✓				
Aluminio anodizado			✓		✓			
Acetate butirato de celulosa (ABC)	✓	✓						
Vidrio, cerámicas	✓		✓		✓			
Superficies lacadas, pintadas/revestidas	✓		✓		✓	✓		
Cuero/ piel sintética					✓			
Metales	✓		✓		✓	✓		
Papel, cartón corrugado	✓	✓			✓		✓	
PETG, PETA, PETE			✓					
Poliacetal (POM), acetal/delrin	✓				✓			
Poliamida (PA)					✓			
Policarbonato (PC)	✓	✓	✓					
Lámina poliéster, revestida		✓						
Polietileno (PE), pre-tratado	✓	✓	✓		✓			
Polipropileno (PP), pre-tratado	✓	✓	✓		✓	✓		
Polipropileno (PP), sin tratar						✓		
Poliestireno (PS)	✓	✓	✓					
Poliuretano (PU), revestido	✓	✓	✓		✓	✓	✓	
PVC, rígido		✓						
PVC, suave		✓		✓			✓	
Goma							✓	
Silicona								✓
Textiles, algodón					✓		✓	
Textiles, sintéticos							✓	
Elastómeros termoplásticos (TPE)			✓				✓	
Plásticos termoestables	✓		✓		✓			
Superficies barnizadas	✓				✓		✓	
Madera	✓	✓		✓	✓		✓	